



# TruVis EHP

Product Data Sheet		
<b>PRODUCT/CLASS</b>	2-Ethylhexyl palmitate; Mono ester of Palmitic Acid	
<b>MANUFACTURING LOCATION</b>	Brownsville, Tennessee	
<b>AVAILABILITY</b>	US. Additional Country Availability information on request.	
<b>MARKET</b>	Industrial, Transportation, Metalworking	
<b>USES/CLAIMS</b>	Base Oil, Additive; Lubricant, Water Miscible, Friction Modifier	
<b>APPLICATIONS</b>	Hydraulic, Grease, 2-Stroke, MWF	
<b>PROPERTY</b>	<b>TYPICAL VALUE</b>	<b>TEST METHOD</b>
VISCOSITY @ 40°C	8.4 cSt	ASTM D445-09
VISCOSITY @ 100°C	2.7 cSt	ASTM D445-09
VISCOSITY INDEX	180	
POUR POINT	-3 °C	ASTM D5950-02
FLASH POINT, COC	215 °C	ASTM D92-05A
SPECIFIC GRAVITY @ 25°C	0.858	ASTM D4052-09
COLOR, PT CO	40	ASTM D1209-05
PURITY, ESTER CONTENT	99.0	ASTM D3465
ACID VALUE	0.10 mg KOH/g	ASTM D974-08
MOISTURE CONTENT	500 ppm	ASTM E1064-08
SEDIMENT, INSOLUBLE CONTAMINATION	3.5 mg/L	

**Customer Service:**  
 1-800-554-9887  
 Fax: 401-724-6250



**Teknor Apex Company**  
 505 Central Avenue  
 Pawtucket, Rhode Island 02861  
[www.teknorapex.com/truvis](http://www.teknorapex.com/truvis)

*The information contained herein was obtained on representative samples of the materials and is believed to be reliable. Teknor Apex welcomes an opportunity to discuss your specific requirements regarding sales specifications.*